

MATERIAL SAFETY DATA SHEET

Date of Issue: 27/4/2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: 1080 DRIED MEAT BAIT

Recommended use of the chemical and restrictions on use: **For the control of wild dogs.**
Only to be used in accordance with the label and any State/Territory instructions for 1080 products. Distance restrictions apply as per State/Territory government legislation. This product is only made available to approved purchasers and is not for general use by unqualified persons and must not be made available to unapproved users. This is a restricted chemical substance and must be stored securely.

Supplier: Midlands Biosecurity Group Approved Licensed Pest Management Technician (MBG Approved LPMT)

ABN: 11 513 539 345

Contact: C/- Executive Officer
Midlands Biosecurity Group
PO Box 92, Dandaragan, 6507
eo@mbg.org.au
Phone: 08 96514008

Emergency Telephone: Poisons Information Centre 13 11 26 (24hours)

2. HAZARDS IDENTIFICATION

Hazard classification: Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

Poison Schedule number: S7

3.COMPOSITION/INFORMATION ON INGREDIENTS

| Component | Common Name | CAS Number | Proportion (w/w): |
|----------------------|---------------------|----------------|-----------------------------------|
| Sodium fluoroacetate | Ten-eighty ("1080") | 62-74-8 | 0.04g/kg (0.004%) 6mg per bait |
| Other ingredients | | Not applicable | Up to 100% |

fresh meat, water & or vegetable dye not determined to be hazardous.

Total active ingredient content per bait is 6 mg of sodium fluoroacetate ("1080")

4. FIRST AID MEASURES

Speed in treatment is essential. If poisoning occurs, contact a Poisons Information Centre, phone 13 11 26 or a doctor. Have this SDS or the label with you.

- Inhalation:** There is no inhalation risk with the product.
- Skin Contact:** Absorption via intact skin is minimal but if skin contact occurs, remove contaminated footwear and clothing and wash skin thoroughly with soap and water. Take care to thoroughly cleanse area including fingernails and scalp (if applicable). Remove from contaminated area. Apply artificial respiration if not breathing.
- Eye Contact:** If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor. Sodium Fluoroacetate is water soluble and is readily dispersed with water.
- Ingestion:** Seek immediate medical assistance. A primary source of poisoning with sodium fluoroacetate is the oral route. **THERE IS NO ANTIDOTE.** Effects may be delayed by several hours. Note that the content of a single bait is unlikely to cause risk in humans and no immediate or long-term symptoms would be expected. Consumption of the contents of multiple baits would pose a risk to life. Apply artificial respiration if not breathing.

First Aid Facilities: Eyewash and normal washroom facilities.

**Medical attention/
Advice to Doctor:**

The bait contains approximately 0.01% (0.1g/kg) sodium fluoroacetate (6mg per bait). Sodium fluoroacetate is also known as 'Compound 1080'. **THERE IS NO ANTIDOTE.** It is important to ascertain the route of exposure and the quantity of baits exposed to. Sodium fluoroacetate is readily absorbed by the oral route and acts after metabolic conversion to fluorocitrate by blocking enzymes in the tricarboxylic acid cycle inhibiting metabolic energy production. Organs with high energy requirements such as the heart, diaphragm and brain are most affected. Accumulation of citrate and disturbances in calcium ion levels can lead to symptoms. Early symptoms may include nausea, vomiting, stomach pains, tingling of the nose, numbness of the face, nervousness. More severe symptoms include, convulsions, Laboured breathing, excitability, hallucinations and heart attack. Treat symptomatically and supportively. Monitor for electrolyte abnormalities and metabolic acidosis. If caught early induce vomiting, if not emesis if contraindicated because of the potential for arrhythmia and convulsions. Consult poisons control for most up to date information. Sodium fluoroacetate is not readily absorbed through skin and is very water soluble prompt washing in soapy water will minimise risk after accidental skin exposure.

Mode of action:

Sodium fluoroacetate is readily absorbed by the oral route and substitutes for normal acetate once it enters mitochondria, where it is initially converted to fluoroacetyl Coenzyme A. This process may take several hours during which clinical signs are absent. Fluoroacetyl CoA substitutes for normal Acetyl Co-A and is readily combined with oxaloacetate to form fluorocitrate, for downstream processing by the enzymes of the Tri Carboxylic Acid cycle (TCA cycle). However, Fluorocitrate, unlike normal citrate, blocks the aconitase enzyme and this prevents further processing of the fluoridated citrate. This blockade of aconitase also prevents processing of normal citrate in mitochondria, so the production of energy (ATP, NADH) is prevented at all subsequent stages of the TCA cycle. Normal citrate accumulates upstream of the metabolic blockade while the pyruvate pathway continues to function temporarily. Organs with high

energy requirements such as the heart, diaphragm and brain are most affected by acute reductions in metabolic energy. Accumulation of citrate can cause chelation of extra cellular calcium ions. Disturbances in calcium ion levels can lead to clinical symptoms as nervous function is impeded. Early symptoms may include nausea, vomiting, stomach pains, tingling of the nose, numbness of the face, nervousness. More severe symptoms include tetanic convulsions, laboured breathing, excitability, hallucinations and heart attack. Treat symptomatically and supportively. Monitor for electrolyte abnormalities and metabolic acidosis. While prompt removal of any unabsorbed poison from the gut will reduce risks and minimise further absorption, it is important to seek medical advice as to the risks of causing vomiting. Consult poisons control for most up to date information. There is no proven antidote for fluoroacetate. Sub-lethal exposures will not block all aconitase enzymes and so may result in no symptoms and in this circumstance the fluoroacetate will be defluorinated to harmless excretion products in a short time, so long as biochemical energy supplies are available. Thus, minor exposures in less susceptible species may require no intervention. Sodium fluoroacetate is not readily absorbed through skin and is very water soluble prompt washing in soapy water will minimise risk after accidental skin exposure.

5. FIRE FIGHTING MEASURES

- Fire and explosion hazards:** There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.
- Suitable Extinguishing Media:** The product is non-combustible however in case of fire, use fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).
- Hazchem Code:** None.
- Specific hazards arising from the substance or mixture:** The bait is not flammable and will not auto-ignite.
- Special protective equipment and precautions for firefighters:** Fire fighters should wear a respirator with an A/P filter (organic vapour + particulate) and suitable protective clothing to prevent risk of exposure to products of decomposition.

6. ACCIDENTAL RELEASE MEASURES

- Emergency procedures/ Environmental precautions:** Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.
- Personal precautions/ Protective equipment:** Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Work up wind or increase ventilation. Sodium fluoroacetate is water soluble.
- Methods and materials for containment and cleaning up:** Contain - prevent run off into drains and waterways. While wearing protective equipment, sweep-up spilt bait(s) using a broom and shovel and place in sealed containers. Bury contaminated waste and excess product below 500 mm. Wash any contaminated areas with soapy water and collect in containers. Triple rinse and bury rinsate and empty containers in a local authority landfill. If no landfill is available, bury the containers below 0.5m in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers should not be burnt. Do NOT re-use containers for any other purpose. After clean up, decontaminate and launder all protective clothing and equipment before storing.

7. HANDLING AND STORAGE

Precautions for safe handling:

Keep containers closed at all times - check regularly for leaks or spills. Transport and store upright and must be placed into a locked metal container or cage or approved equivalent labelled with the word Poison and securely fixed/locked to the tray of a vehicle (utility or similar). To avoid risks to people and environment the instructions for use are to be followed. Avoid all contact with the product and wear protective clothing and elbow-length PVC gloves while opening the container and handling bait. Keep out of reach of children. Do not eat, drink or smoke in contaminated areas. Always remove contaminated clothing and wash hands after use and before eating, drinking, smoking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Do not open containers indoors or in confined spaces and allow good ventilation in working areas.

Conditions for safe storage, including any incompatibilities:

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Must be stored in a double locked situation except when required for immediate use (a locked box or locked cabinet inside a locked shed is considered sufficient) away from children, animals, food, feedstuffs, seed and fertilisers at all times. Keep working dogs and pets away from the baits as they are highly susceptible to the poison.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

No value assigned for this specific material by Safe Work Australia. However, the exposure standard for the active constituent, Sodium Fluoroacetate (powder): TWA = 0.05 mg/m³, STEL = 0.15 mg/ m³ As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants. No biological limit allocated.

Appropriate engineering controls:

The product formulation dilutes the concentration of sodium fluoroacetate.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors. Observe good standards of hygiene and cleanliness. Always wash hands, arms and face thoroughly with soap and water before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment with detergent and warm water before storage or re-use.

Respiratory Protection: A respirator is not needed under normal and intended conditions of product use. However, if protection is required, consult AS/NZS 1715 and AS/NZS 1716 for further information.

Eye and Face protection: Eye and face protection are not needed under normal and intended conditions Of product use. However, if protection is required, consult AS/NZS 1336 and AS/NZS 1337 for further information.

Skin Protection: Elbow-length rubber or chemical resistant gloves must be worn when opening the container and using the product. Always check with the glove manufacturer or your personal protective equipment supplier regarding the correct type of glove to use. Consult AS/NZS 2161 for further information. Trousers, long sleeved shirt or cotton overalls buttoned to the neck and wrists and closed in shoes or safety footwear may also be worn when opening the container and using the product. Consult AS/NZS 2210 and AS/NZS 2919 for further information

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Physical state: | Individual baits are in the approximate size 3 x 4 x 3 cm and weighs 60 g. |
| Colour: | Brown |
| Odour: | Meaty |
| pH: | No information available |
| Specific Gravity: | Not relevant |
| Melting Point/Freezing Point: | Not relevant |
| Boiling Point/range: | Not relevant |
| Flash Point: | No information available |
| Evaporation Point: | Not relevant |
| Vapour Density: | Not relevant |
| Vapour Pressure: | Not relevant |
| Solubility: | The bait will gradually bio-degrade when exposed to soil moisture due to the action of bacteria and moulds commonly found in soils which degrade both the bait matrix and the poison to harmless metabolites. |
| Partition coefficient: noctanol/water | Not relevant |
| Auto-ignition Temperature: | Not relevant |
| Decomposition Temperature: | No information available |
| Viscosity: | Not relevant |

10. STABILITY AND REACTIVITY

Reactivity: Non-reactive under normal conditions of use.

Chemical stability: Stable for extended periods under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions:

No information available

Conditions to avoid: Avoid exposure to heat, sunlight and moisture during storage.

Incompatible materials: None known.

Hazardous decomposition products:

This product is more than 99% meat. The small quantity of active ingredient in the meat is unlikely to provide decomposition products in significant quantities.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Based on the lowest known lethal dose for humans (0.71 mg/kg body weight), an 80 kg person would have to consume approximately 56mg of fluoroacetic acid (more than 9 Dried Meat Bait 6mg) in succession, to receive a potential lethal dose. Lower doses may still cause toxic effects and there is a wide range of susceptibility in species compared to the highly vulnerable canid species which succumb at around 0.1mg/kg dose. There is usually period of latency between poisoning and onset of symptoms of between 30 minutes and 3 hours. Neurological effects include convulsion, respiratory depression, tremulousness, hallucinations and coma. Cardiac effects include hypertension then hypotension, arrhythmias, ventricular fibrillation and cardiac failure.

Ingestion: Poisonous if swallowed. Lethal doses can cause cardiac arrest.

Inhalation: Not applicable to this formulation. There is no inhalation risk with the product under normal circumstances.

Skin: Avoid contact with skin. Studies with rabbits have shown that 1080 is poorly absorbed through the skin.

Eye: Avoid contact with eyes. Effects not known

Respiratory or skin sensitisation: Not a skin sensitiser and not expected to be a respiratory sensitiser.

Germ cell mutagenicity: Not suspected to cause genetic defects.
Carcinogenicity: Not considered to be a carcinogenic.
Reproductive toxicity: Not considered to be toxic to reproduction.
STOT-single exposure: Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure: Not expected to cause toxicity to a specific target organ
Aspiration hazard: Not expected to be an aspiration hazard.

Chronic health effects: Long term exposure at high doses may lead to cardiac and or testicular damage. Studies into the effects of chronic (90 day) exposure in rats have found damage to the heart and in males the testis, at a dose of 0.25mg/kg/day. Though some of this damage may be reversible over time when exposure is removed.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Sodium fluoroacetate is toxic to a range of aquatic organisms and is very toxic to most terrestrial fauna. However, it is rapidly diluted in water and readily degraded by common soil microorganisms such as bacteria, moulds and fungi once in moist ground or baits become wet. Do not contaminate streams, rivers or waterways with this product or used containers. Information on non-target animal distribution, conservation status, habitat preference, diet, tolerance to 1080, body weight and size of home range can be used to reduce poisoning risks. Timing baiting programs when non-target species are least active or least susceptible.

Persistence/degradability: The product is biologically degradable.

Bioaccumulative

potential: Will not accumulate in soil or water.

Mobility in Soil: Not relevant.

13. DISPOSAL CONSIDERATIONS

Disposal methods: Refer to Waste Management Authority. Dispose of contents/container in accordance with local/regional/national/international regulations. Break, crush or puncture and dispose of empty containers in a local authority landfill (with their approval). Triple rinse and bury rinsate and empty containers and unused baits in a local authority landfill (with their approval). If no landfill is available, bury the containers and unused baits below 0.5m in a disposal pit specifically marked and set up for this purpose clear of waterways (at least 10m), desirable vegetation and tree roots. Empty containers and product must not be burnt. Do NOT re-use containers for any other purpose.

14. TRANSPORT INFORMATION

Road and Rail Transport: Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS. This product must be placed into a locked metal container or cage or approved equivalent, labelled with the word "Poison" and securely fixed/locked to the tray of a vehicle (utility or similar). Product should not be stored in cabin of vehicle during transport.

Marine Transport: Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON- DANGEROUS GOODS.

Air Transport: Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NONDANGEROUS GOODS.

15. REGULATORY INFORMATION

Poison Schedule (SUSMP): S7

APVMA Approval No.: 49384

AICS: All the constituents of this material are either listed on the Australian Inventory of Chemical Substances (AICS), not required due to the nature of the chemical, or have been assessed under the National Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

16. OTHER INFORMATION

GENERAL INFORMATION: Sodium fluoroacetate is water soluble and readily degraded by common soil bacteria and moulds which do not have metabolic pathways inhibited by fluoroacetate but do have defluorination mechanisms. **THERE IS NO ANTIDOTE.** Do not contaminate streams, rivers or waterways with the chemical or used containers. Information on non-target animal distribution, conservation status, habitat preference, diet, tolerance to 1080, body weight and size of home range can be used to reduce poisoning risks posed by baiting programs. Time baiting programs when non-target species are least active or least susceptible. Follow approved label directions to minimise risks to non-target animals.

ISSUE NUMBER: 001

ISSUE DATE: 01 December 2018

RE-ISSUE: In any event, the review and, if necessary, the re-issue of an SDS shall be no longer than 5 years after the last date of issue.

LITERARY REFERENCE:

Code of Practice for the Safe Use and Management of Registered Pesticides containing 1080, PAPP and Strychnine for Vertebrate Pest Management in Western Australia (April 2018)

ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS - Australian Inventory of Chemical Substances

APVMA – Agricultural Pesticides and Veterinary Medicines Australia

GHS - Globally Harmonised System of Classification and Labelling of Chemicals (3rd revised edition) 2009

IARC - International Agency for Research on Cancer

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (December 2011)

STEL - Short term exposure limit means the average airborne concentration of a substance calculated over a 15-minute period. The STEL should not be exceeded at any time during a normal eight hour working day.

SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons

SWA - Safe Work Australia, formerly ASCC and NOHSC TGA – Therapeutic Goods Australia

TWA - Time-weighted average means the average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

WHS – Workplace Health and Safety

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use in the workplace. The physical values and properties described in this SDS are typical values based on scientific literature and material produced to date, and are believed to be reliable. Midlands Biosecurity Group provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. The information is supplied upon the condition that the persons receiving information will make their own determination as to the suitability for their purposes prior to use of this product. Due care should be taken to ensure that the use of this product and its disposal is in compliance with all relevant Federal, State and Local Government regulations.

End of MSDS